Logan County, Colorado Print date: 09/09/2003

Table REC-2.—Recreation

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails 		Off-road motorcycle trai 	.ls	Golf fairways 	5
	 	 Rating class and limiting features 		 Rating class and limiting features 			Value
1: Albinas	80 	 Not limited 	 	 Not limited 	 	 Somewhat limited Flooding 	 0.60
2: Alda	 80 	 Not limited 	 	 Not limited 		 Somewhat limited Droughty Depth to saturated zone	 0.14 0.03
3: Alda	 85 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding Depth to saturated zone	0.60
4: Altvan	50	 Not limited	 	 Not limited	 	 Not limited	
Eckley	30	 Not limited 		 Not limited 		Somewhat limited Droughty	0.18

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	 	S	Off-road motorcycle trai 	ls	 Golf fairways 	
	i 	Rating class and limiting features		Rating class and limiting features		Rating class and limiting features 	Value
5: Altvan	 - 50	 Not limited		 Not limited		 Not limited	
Eckley	- 30 	 Not limited 	 	 Not limited 	 	 Somewhat limited Droughty	0.18
6* :		 					
Aquolls	- 80 	Not rated Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified	İ	Not rated Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified	i	Not rated Not rated; Surface clay percent Not rated; Sieve size, 3 to 10", > 10"	
		Not rated; % surface sand or clav	 	Not rated; % surface sand or clay	 	Flooding	11.00
	 	Not rated; Surface clay percent or taxonomic class	 	Not rated; Surface clay percent or taxonomic class	 	Salinity I I	1.00
		•	0.40	'	0.40	Droughty	0.63
7*: Argiustolls, wet	 - 75 	 Not limited 	 	 Not limited 	 	 Very limited Salinity Droughty 	 1.00 0.06

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. Paths and trails of map unit		S	 Off-road motorcycle trai 	ls	 Golf fairways 	
	 					Rating class and limiting features	
8*: Argiustolls	 - 30	 Not limited	 	 Not limited	 	 	
Rock outcrop	 - 30 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Taxonomic or texture class	 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; unified Not rated; surface sand or clay Not rated; Taxonomic or texture class	 - - - - - - -		
9: Arvada	 - 85 		1 1 1 1 1 1 1 1 1 1	 Somewhat limited Dusty	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Very limited Sodium content	1 1 1 1 1 1 1 1 1 1
10: Ascalon	 - 85 	 Not limited 	 	 Not limited 	 	 Not limited 	
11: Ascalon	 - 85 	 Not limited 	 	 Not limited 	 	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit		S	Off-road motorcycle trai 	ls	 Golf fairways 	;
	 _			Rating class and limiting features			Value
12: Ascalon	 - 90	 Not limited	 	 Not limited	 	 Not limited	
13*: Badland	 - 70 	Not rated Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Taxonomic or texture class		Not rated Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Taxonomic or texture class		Not rated Not rated; Sieve size, 3 to 10", > 10" Not rated; pH Depth to bedrock Droughty	
14: Bankard	 - 80 	Too sandy	11.00	<u> </u>	11.00	'	 1.00 1.00 0.50
15: Bayard	 - 65 		 0.79	 Somewhat limited Too sandy 	 0.79	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. Paths and trails of map unit		S	Off-road motorcycle trai	ls	Golf fairways 	
	 	Rating class and limiting features		Rating class and limiting features			
15: Canyon	 - 30 	 - Somewhat limited Dusty -	 0.50 				11.00
16: Bridgeport	 - 85	 Not limited		 Not limited		 Not limited	
17: Canyon	 75 		 0.50 	 Somewhat limited Dusty 	 0.50 		1.00 0.84
18: Chappell	 - 85 	 Not limited 	 	 Not limited 		 Somewhat limited Flooding Droughty	 0.60 0.01
19: Colby	 - 85 	Water erosion	1 1.00 10.50	•	1.00	 Somewhat limited Slope 	1 1 1 1 1 1 1 1 1 1

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Ī	Paths and trails		.ls	Golf fairways	
	unit c	<u> </u>		 Rating class and limiting features			Value
20: Dacono	- - 85	 Somewhat limited Dusty	 0.50	•	 0.50	 Not limited 	
21: Dailey	 - 90		0.54	 Somewhat limited Too sandy	0.54	 Somewhat limited Droughty	0.69
22: Dailey	 - 85 	•		 Somewhat limited Too sandy	 0.54	 Somewhat limited Droughty	 0.69
23: Dailey, thick surface	 - 80 	•	10.60	 Somewhat limited Too sandy	10.60	 Somewhat limited Droughty 	0.26
24: Dix	 - 50 	 Somewhat limited Slope 	 0.50 	 Not limited 		 Very limited Slope Droughty Gravel content	 1.00 0.99 0.25
Altvan	 - 30 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope 	 0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map	 	Paths and trails		Off-road motorcycle trails		3
	unit 			 Rating class and limiting features		 	Value
25: Dix	- 50 	 Somewhat limited Slope 	 0.18 	 Not limited 	 	 Very limited Slope Droughty Gravel content	 1.00 0.99 0.25
Eckley	 - 30 	 Not limited 	 	 Not limited 	 	 Somewhat limited Droughty Slope	 0.31 0.16
26: Els	 - 85 	 Somewhat limited Too sandy 	 0.84	 Somewhat limited Too sandy 	 0.84	 Somewhat limited Flooding Droughty	 0.60 0.02
27: Epping	 - 90 	 Somewhat limited Dusty 	 0.50	 Somewhat limited Dusty 	 0.50	 Very limited Depth to bedrock Droughty	11.00

Table REC-2.--Recreation--Continued

Map symbol	 Pct.		S	Off-road		Golf fairway:	S
and soil name	of			motorcycle trai	ls	I	
	map						
	unit						
						I	
		=		Rating class and	Value	=	Value
		limiting features	 	limiting features	 	limiting features	
28*:							
Fluvaquentic	1		1		 		
=	1 00	Not rated	 	Not rated	 	 Not rated	
napraquoris	1 30	Not rated;	l I	Not rated;	l I	Not rated;	I
	1	Surface	l I	Surface	l I	Surface clay	ı
	I	Fragments > 75mm	 	Fragments > 75mm	l I	percent	l I
	1	Not rated; Sieve		Not rated; Sieve		Not rated;	l
	i	size, 3 to 10",		size, 3 to 10",		Surface	
	i	> 10"		> 10"	i I	Fragments > 75mm	m l
	i	Not rated;		Not rated;	i I	Not rated; Sieve	•
	i	Unified		Unified	İ	size, 3 to 10",	•
	i	I		İ	i I	> 10"	j
		Not rated; %		Not rated; %		Not rated; pH	
		surface sand or		surface sand or		1	
		clay		clay		1	
		Not rated;		Not rated;		Flooding	1.00
		Surface clay		Surface clay			
		percent or		percent or			
		taxonomic class		taxonomic class			
				1		I	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	 		Off-road motorcycle trai 	ls	Golf fairways 	
	 	 Rating class and limiting features 		Rating class and limiting features		Rating class and limiting features	
29*: Fluvaquents	90	Depth to	 0.86	•	 0.86	 - Very limited Flooding	1 1.00
	 	saturated zone Flooding 	 0.40 	saturated zone Flooding 	 0.40 	saturated zone Droughty	 0.94 0.26 0.01 0.01
30: Glenberg	 90 	 Not limited 	 	 Not limited 	 	 Somewhat limited Flooding 	 0.60
31: Gravel pits	95 	Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Taxonomic or texture class		Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Taxonomic or texture class Too sandy		. 2 1	ĺ

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of	 Paths and trail	s	 Off-road motorcycle trai		 Golf fairways	
	map unit	Ī		 			
	 			Rating class and limiting features			
32: Haverson	 - 87 	•		 Somewhat limited Dusty 	 0.50	•	
33: Haverson	 - 85 	 Somewhat limited Dusty		 Somewhat limited Dusty	 0.50	 Not limited 	
34: Haverson, frequently flooded		. 4	0.50	Dusty	 0.50 0.40	 Very limited Flooding 	1 1.00
35: Haverson, saline	 - 85 					 Somewhat limited Flooding	0.60
36: Haxtun	 - 85 			1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Not limited 	
37: Haxtun	 - 80			•	 0.84	 Not limited 	
38: Haxtun	 - 80 	 Not limited 	 	 Not limited 	 	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	 	Paths and trails		ls	 Golf fairways 	
	 			 Rating class and limiting features 		Rating class and limiting features	Value
39: Hayford	 80	 Not limited 	 	 Not limited 	 	 Not limited 	
40: Hayford, saline	80	 Not limited		 Not limited		 Not limited	
41: Heldt	 90	 Not limited 	 	 Not limited 	 	 Not limited 	
42: Heldt, saline	90	 Not limited	 	 Not limited		 Not limited	
43: Iliff	 75 				1 1 1 1 0 . 50		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
44: Julesburg	 85 	 Somewhat limited Too sandy			•	 Not limited 	
45: Julesburg	 85 			 Somewhat limited Too sandy			
46: Julesburg	 85	 Not limited	 	 Not limited	 	 Not limited	
47: Julesburg	85	 Not limited 	 	 Not limited 	 	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	 	Paths and trails		Off-road motorcycle trails 		5
	 			Rating class and limiting features			
48: Julesburg	 - 90	 Not limited		 	 	 	
49: Julesburg	 - 55	 Not limited	 	 Not limited	 	 Not limited	
Eckley		 Somewhat limited	 	 Somewhat limited		'	 0.32 0.18
50: Keith	 - 85 				1 1 1 0.50		
51: Kim	 - 85 				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
52: Kuma	 - 85	 Not limited	 	 Not limited	 	 Not limited	
53: Kutch	 - 90 	 Not limited 	 	 Not limited 			

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	I	Paths and trails		ls	 Golf fairways 	
	 			Rating class and limiting features		 Rating class and limiting features 	Value
54: Kutch	 - 95 	 Not limited 	 	 Not limited 		 Somewhat limited Depth to bedrock Content of large stones	
55: Lebsack	 - 80	 Not limited 	 	 Not limited		 Not limited	
56: Lebsack, saline	 - 80 	 Not limited 		 Not limited 		 Somewhat limited Salinity	0.50
57: Lebsack, wet	 - 80 	 Not limited 		 Not limited		 Somewhat limited Salinity	0.50
58: Loveland	 - 85 	 Not limited 	 	 Not limited 	 	 Somewhat limited Flooding Depth to saturated zone	 0.60 0.19
59: Manter	 - 85 	•	 0.79	 Somewhat limited Too sandy 	 0.79	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	E D		Off-road motorcycle trai	ls	Golf fairways 	
	 			Rating class and limiting features			Value
60: Manter	 85 	•		 Somewhat limited Too sandy	•	•	
61: Manter	85	 Not limited	 	 Not limited		 Not limited	
62: Manter	85	 Not limited		 Not limited		 Not limited	
63: Manter	85	 Not limited		 Not limited		 Not limited	
64: Manter, watertable	 90 	 Not limited 	 	 Not limited 	 	 Somewhat limited Salinity	0.01
65: Manter, wet	 95 	 Not limited 	 	 Not limited 	 	 Somewhat limited Salinity	0.01
66: Manzanola	90	 Not limited	 	 Not limited	 	 Not limited	
67: Midway	 85 	 Not limited 	 	 Not limited 	 	 Very limited Depth to bedrock Droughty Slope	11.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	nap		Off-road motorcycle trails 		Golf fairways 	;
		-		Rating class and limiting features			
68: Mitchell		 Somewhat limited Dusty					
69: Mitchell	 - 55	 Somewhat limited Dusty		 Somewhat limited Dusty			
Keota		 Somewhat limited Dusty 			0.50	 Somewhat limited Depth to bedrock Droughty	
70: Mitchell		 Somewhat limited Dusty					
Keota		Somewhat limited Dusty					0.42
71: Mitchell	 - 50	 Somewhat limited Dusty		 Somewhat limited Dusty		 Not limited 	
Norka		 Somewhat limited Dusty			1 0.50		
72: Mosher	 - 90 	 Not limited 	 	 Not limited 		 Very limited Sodium content 	 1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	I	Paths and trails		ls	 Golf fairways 	
	 			Rating class and limiting features			
73: Mosher	 - 88 					Too clayey	1 1 .00
74: Norka	 - 90 				0.50	 Not limited 	
75: Norka	 - 50				0.50	 Not limited 	
Ulysses	 - 35 				0.50	 Not limited 	
76: Nunn	 - 90 	•	•	•	0.50	 Not limited 	
77: Nunn	 - 90 	•		•	1 10.50	 Not limited 	
78: Nunn	 - 90 		 0.50		0.50	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. Paths and trails of map unit		Off-road motorcycle trai	ls	Golf fairways 		
		-		Rating class and limiting features		-	Value
79: Nunn	 - 90	 Somewhat limited Dusty		•		 Not limited	
80: Nunn	 - 90	 Not limited		 Not limited		 Not limited	
81: Nunn	 - 90	 Not limited		 Not limited		 Not limited	
82: Nunn, watertable	 - 85	 Not limited		 Not limited		 Not limited	
83: Nunn, wet	 - 85	 Not limited		 Not limited		 Not limited	
84: Olney	 - 90	 Not limited		 Not limited		 Not limited	
85: Olney	 - 85	 Not limited		 Not limited		 Not limited	
86: Peetz	' - 85 	 Not limited 	 	 Not limited 	 	•	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Ī	S	Off-road motorcycle trai	ls	Golf fairways 	
	 	-		Rating class and limiting features			
87: Platner	 85	 		 		 Not limited	
88: Platner	 - 95 	 Somewhat limited Dusty					
89: Platner	 - 85 	 Somewhat limited Dusty		•	10.50		
90: Platner	 - 80 	 Somewhat limited Dusty		 Somewhat limited Dusty	•	•	
91: Platner	 - 45	 Somewhat limited Dusty		 Somewhat limited Dusty			
Rago	- 25	 Not limited		 Not limited		 Not limited	
Dacono	 - 20 	 Somewhat limited Dusty		•	1 10.50		
92: Rago	 - 80	 Not limited	 	 Not limited	 	 Not limited	
93: Rago	 - 85	 Not limited	 	 Not limited		 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit			Off-road motorcycle trai 	ls	Golf fairways 	5
	 	-		 Rating class and limiting features 		-	Value
94:							
Renohill	- 60	•		•	•	Somewhat limited	10.42
Shingle	20		 0.50	 Somewhat limited Dusty 	 0.50	 Very limited Depth to bedrock Droughty	11.00
95* :		 	 			 	
Rock outcrop	70 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Taxonomic or	 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Unified Not rated; % surface sand or clay Not rated; Taxonomic or	 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; pH Depth to bedrock	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Ī	ls	Off-road motorcycle trails		Golf fairways 	3
	 			Rating class and limiting features			
95: Argiustolls	 - 20 		0.82			 Very limited Slope Depth to bedrock Droughty Content of large stones	0.83
96: Rosebud	 - 50 	 Somewhat limited Dusty				 Somewhat limited Depth to bedrock	
Escabosa	 - 30 	 Somewhat limited Dusty 	 0.50	•		 Somewhat limited Depth to bedrock Droughty	
97:		 		T			
Rosebud	- 50 	Somewhat limited Dusty				Somewhat limited Depth to bedrock	0.42
Escabosa	- 30 	 Somewhat limited Dusty	•	•		 Somewhat limited Depth to bedrock	1 0.42
98:		I 	1			1	
Rosebud	- 45 	Somewhat limited Dusty	•	•		Somewhat limited	0.42
Escabosa	 - 30 	 Somewhat limited Dusty 		 Somewhat limited Dusty 		 Somewhat limited Depth to bedrock 	 0.42

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	I	Paths and trails		ls	Golf fairways 	5
	 			 Rating class and limiting features 			
98: Iliff	 20 					 Somewhat limited Depth to bedrock	 0.42
99: Satanta	80			 Somewhat limited Dusty			
100: Satanta	 - 85			 Somewhat limited Dusty			
101: Satanta	 - 90 				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Not limited 	
102: Satanta, watertable-	 - 90 				10.50		
103: Satanta, wet	 90 				10.50	 Not limited 	
104: Shingle	 90 	 Somewhat limited Dusty 			 0.50	 Very limited Depth to bedrock Droughty	

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	Paths and trails		Off-road motorcycle trai 	Off-road motorcycle trails 		
	 _			Rating class and limiting features			
105: Stoneham	 - 90	 Not limited 	 	 Not limited	 	 Not limited	
106: Stoneham	 - 85 			 Somewhat limited Dusty	1 0.50	•	
107: Stoneham	 - 90			 Somewhat limited Dusty	0.50	 Not limited	
108: Stoneham	 - 60	 Somewhat limited Dusty	•	•	1 1 1 1 1 1 1 1 1 1	 Not limited	
Cushman	 - 35 	 Somewhat limited Dusty 			 0.50	 Somewhat limited Depth to bedrock Droughty	
109: Thedalund	 - 45 		11.00	Water erosion			 1.00 0.42
Kim	 - 30 	Water erosion	11.00	 Very limited Water erosion Dusty 	 1.00 0.50	Slope	 0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	 	Paths and trails		ls	 Golf fairways 	
	 			Rating class and limiting features 			
109: Shingle	1 20	Water erosion	1.00	Water erosion		Depth to bedrock Droughty	 1.00 1.00 1.00
110: Wagonwheel	 45 	•	•	•	1	•	
Stoneham	30				10.50		
111: Wagonwheel	1 40	Water erosion	11.00	Water erosion		 Somewhat limited Slope 	0.04
Colby	35	Water erosion	11.00	Water erosion		-	0.04
112*: Ustic Torriorthents-	 84 	-	 1.00 	 Somewhat limited Slope 	 0.56 	Slope	 1.00 1.00 1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	 	Paths and trails		ls	 Golf fairways 	3
	 			Rating class and limiting features			
113: Valent	 95 	 - Very limited Too sandy 		. 4	•	 Somewhat limited Too sandy Droughty 	 0.50 0.44
114: Valent	 - 95 	Too sandy		Too sandy	1 1.00 0.08	· ±	 1.00 0.50 0.44
115: Valent	 - 90 	•	•	 Somewhat limited Too sandy 		 Somewhat limited Droughty Slope 	0.17
116: Vona	 - 95 	•	0.89	 Somewhat limited Too sandy	0.89	 Not limited 	
117: Vona	 95 	 Not limited 	 	 Not limited	 	 Not limited 	
118: Wages	 - 85 		10.50	 Somewhat limited Dusty 	10.50	 Not limited 	

Table REC-2.--Recreation--Continued

Map symbol and soil name	 Pct. of map unit	l		Off-road motorcycle trails 		 Golf fairways 	
	 					Rating class and limiting features 	
119: Wages	 - 85 			 Somewhat limited Dusty			
120: Wages	 85 	•		 Somewhat limited Dusty			
121: Wages	 55 			 Somewhat limited Dusty			
Altvan	 - 25 			 Somewhat limited Dusty			
122: Wages	 50 			 Somewhat limited Dusty			
Manter	30	 Not limited		Not limited		Not limited	
123: Wages	 60 	•		 Somewhat limited Dusty	•		
Rosebud	 - 30 					 Somewhat limited Depth to bedrock 	0.42

Table REC-2.--Recreation--Continued

Map symbol Po and soil name c ma ur		 	.S	Off-road motorcycle trails		Golf fairways	
	 	Rating class and limiting features		 Rating class and limiting features		 Rating class and limiting features	Value
124: Wages	50	•	•		10.50	 Not limited	
Rosebud	30 	 Somewhat limited Dusty	1 0.50	 Somewhat limited Dusty	1 0.50	 Somewhat limited Depth to bedrock	0.42
125: Weld	 80 	 Somewhat limited Dusty 	 0.50	 Somewhat limited Dusty 	 0.50	 Not limited 	
126: Weld	80 	 Somewhat limited Dusty 		 Somewhat limited Dusty 	10.50	 Not limited 	
127: Westplain	 85 	 Somewhat limited Depth to saturated zone Flooding 	0.44	•	 0.44 0.40 		 1.00 0.75 0.22 0.13

Table REC-2.--Recreation--Continued

Map symbol and soil name	_ = _ =		s	Off-road motorcycle trails		 Golf fairways 	
	 _	Rating class and limiting features 		Rating class and limiting features		Rating class and limiting features 	Value
128:		 		1		 	
Westplain	- j 55	Somewhat limited	İ	Somewhat limited	İ	Very limited	İ
-	İ	Depth to saturated zone	•	Depth to saturated zone	0.44	Flooding 	11.00
	l I	Flooding	0.40		0.40	Depth to saturated zone	0.75
	j		İ	İ	İ	Droughty	0.22
	Ţ		1	1	1	Salinity	0.13
Alda	 - 35 	 Not limited 	 	 Not limited 	 	 Somewhat limited Flooding Salinity	 0.60 0.13
	İ		İ	İ	İ		İ

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	 		Off-road motorcycle trails		Golf fairways 	
		 Rating class and limiting features 		 Rating class and limiting features 			Value
W:		 					
Water	- 100 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Slope Not rated; Unified Not rated; % surface sand or	 	Not rated Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; Slope Not rated; Unified Not rated; % surface sand or	 	Not rated Not rated; Surface clay percent Not rated; Slope Not rated; Surface Fragments > 75mm Not rated; Sieve size, 3 to 10", > 10" Not rated; pH	
		clay clay 	 	surface sand of clay 	 	 	